

essential
functional accessories



accessories
contemporary and
technical functions

Since 1955

Perin S.p.A. is a leading manufacturer of accessories in the furniture industry. Founded by the Perin brothers in 1955 in Albina di Gaiarine, near Treviso in the heart of North-East Italy, it has grown over the years as a result of the continuous market demand for innovation. In 2020, Perin S.p.A. celebrates its 65° year of business, a milestone which puts the company in a strong position in terms of its business knowledge tenacity and innovation, in a continuously evolving market. It is with great satisfaction and gratitude that we present our new-look catalogue to you. We hope it will serve as a valid and effective tool for technical consultation and product selection.

Special thanks to all Perin S.p.A. customers, colleagues and partners.

Index

01 | Vert Move 08

Verto move is the new Opening System developed by Perin S.p.A for vertically sliding cabinet doors. It is totally invisible and allows access to the cabinet interior, where there is no visible mechanism. Only a small part of the cabinet space, at the top, is not accessible.

02 | Hidro Slim Ø12 10

Pneus and Hidro expand their range with Hidro Slim and Pneus Slim. New 12 mm diameter oil pistons, give your furnishings a greater refinement. Available in a wide range of sizes and load capacities.

03 | Pneus Slim Ø12 12

Pneus and Hidro expand their range with Hidro Slim and Pneus Slim. New 12 mm diameter oil pistons, give your furnishings a greater refinement. Available in a wide range of sizes and load capacities.

04 | Hidro Design Ø15 14

Pneus and Hidro expand their range with Hidro Design and Pneus Design. New 15 mm diameter oil and gas pistons, give your furnishings a greater refinement. Available in a wide range of sizes and load capacities.

05 | Pneus Design Ø15 16

Pneus and Hidro expand their range with Hidro Design and Pneus Design. New 15 mm diameter oil and gas pistons, give your furnishings a greater refinement. Available in a wide range of sizes and load capacities.

06 | Jack support for glass shelf 18

Jack is the new glass shelf support by Perin SpA. The protective plastic side protects the glass shelf against accidental breakage when the unit is being transported or handled. It has been designed with an eye to new stylistic trends, to ensure Jack coordinates with the unit it will support.

07 | Cube support for glass shelf 20

Cube, the new support bracket for glass shelves by Perin S.p.a., is designed for users who expect details that are apparently less important to have the same formal consistency that is so characteristic of Italian furniture.

08 | Speedy support for shelf 22

Speedy is the shelf support manufactured by Perin Spa, designed to allow cabinet assembly directly on the customer's premises, thus eliminating all costs required for automated factory assembly. Also available in a pack, Speedy is a rapid, functional and most of all inexpensive shelf support.

09 | Speedy Plus support for shelf 24

Speedy Plus is the new shelf support resulting from the research activity by Perin S.p.A. One single piece combines all functions expected from a built-in shelf support with anti-lift mechanism.

10 | Click support for shelf 26

Click is the new shelf support from Perin S.p.A. created to be less noticeable under the shelf, while still being flush to the side panel like a joint.

11 | Line Hinge 28

LINE is the brand new hinge for upward- and downward-opening doors manufactured by Perin Spa. Featuring a special mechanism which can accommodate different-thickness doors within the one composition, it also makes it possible to reduce the gap between one door and the next to a minimum of 1,5mm.

12 | Idea Hinge 30

Idea is the brand new hinge for upward- and downward-opening doors manufactured by Perin Spa. Featuring a special mechanism which can accommodate different-thickness doors within the one composition, it also makes it possible to reduce the gap between one door and the next to a minimum of 1,5mm.

13 | Scarpi-4 Hanger 32

Is a 100% steel, high resistance fastener for wall units (load of 65 kg according to DIN 68840 and the new one EN15939). Extremely compact (only 10 mm in width), it can be adjusted according to 3 positions, which can be easily accessed from inside the wall unit. Comes with cover available in various colours.

14 | Sikura Hanger 34

Sikura hangers successfully meet any requirement in terms of wall cabinet load bearing capacity, anchoring and safety. They are adjustable, have a high load bearing capacity, keep the wall cabinet securely anchored to the wall and feature a patented anti-disengagement system.

15 | Plana Hanger 36

Plana is the solution to your suspended panel alignment problems, because it ensures the panels adhere perfectly to the wall. Exceptional adjustment. Excellent load-bearing capacity. Totally invisible.

16 | Vigor Straightener 38

Vigor is the new 'door straightener' by Perin S.p.A. It is used when the panels get curved. It is supplied in a standard size with a pitch between the two outer holes of 2240 mm. On request, Vigor can be supplied with a smaller pitch.

17 | Linear Rails 40

System composed of an aluminium rail, 10x30, with a clear plastic protective profile inserted and painted aluminium supports, perfectly coordinated, which fit partially into the rail cross-section. Main properties: accurately made with excellent load resistance.

18 | Wip Adjustable Foot 42

WIP is the new foot manufactured by Perin Spa, which is especially suitable for wardrobes and bookcases. It can be adjusted from the inside of the cabinet using a 4mm hexagon wrench. It has a capacity of 100 kg.


01 | Vert Move

VertMove is the new Opening System developed by Perin S.p.A for vertically sliding cabinet doors. It is totally invisible and allows access to the cabinet interior, where there is no visible mechanism. Only a small part of the cabinet space, at the top, is not accessible.




SUITABLE for any room, incl. KITCHENS, BATHROOMS, LIVING ROOMS, OFFICES, etc...

Five versions available: height of internal compartment
44 cm, 46 cm, 56 cm, 68 cm and 76 cm




MANUAL OPENING




ELECTRICAL OPENING

With safety system




02 | Hidro Slim Ø12

Pneus and Hidro expand their range with Hidro Slim and Pneus Slim. New 12 mm diameter oil pistons, give your furnishings a greater refinement. Available in a wide range of sizes and load capacities.




FREE MOVEMENT

The dynamism of Hidro allows opening doors in line, with a continuous and soft movement.



FINISHES




Nickel
Matt



Black Nickel
Plated


03 | Pneus Slim Ø12

Pneus and Hidro expand their range with Hidro Slim and Pneus Slim. New 12 mm diameter oil pistons, give your furnishings a greater refinement. Available in a wide range of sizes and load capacities.




FREE MOVEMENT

Pneus dynamism allows the natural opening of the doors with its progressive pins. Therefore, the doors will open in a smooth and continuous way, without interruptions until the inner compartment is completely accessible.



FINISHES




Nickel
Matt



Black Nickel
Plated

04 | Hidro Design Ø15

Pneus and Hidro expand their range with Hidro Design and Pneus Design. New 15 mm diameter oil and gas pistons, give your furnishings a greater refinement. Available in a wide range of sizes and load capacities.



FREE MOVEMENT

The dynamism of Hidro allows opening doors in line, with a continuous and soft movement.

SELF-CLOSING MOVEMENT

In Hidro, the oil-driven function means that the door closes by itself.




DOOR
JOINT

BODY

STRUCTURE
JOINT



FINISHES




Metallised
Grey



Bright
Chrome-Plated



Black Nickel
Plated



Other Finishes
on Request

05 | Pneus Design Ø15

Pneus and Hidro expand their range with Hidro Design and Pneus Design. New 15 mm diameter oil and gas pistons, give your furnishings a greater refinement. Available in a wide range of sizes and load capacities.




FREE MOVEMENT


Pneus dynamism allows the natural opening of the doors with its progressive pins. Therefore, the doors will open in a smooth and continuous way, without interruptions until the inner compartment is completely accessible.

GRADUAL MOVEMENT

Thanks to its friction-controlled movement the door can stop any point along the opening path.



FINISHES




Metallised Grey



Bright Chrome-Plated




Black Nickel Plated



Other Finishes on Request

06 | Jack support for glass shelf

Jack is the new glass shelf support by Perin SpA. The protective plastic side protects the glass shelf against accidental breakage when the unit is being transported or handled. It has been designed with an eye to new stylistic trends, to ensure Jack coordinates with the unit it will support.



TH. 4/6mm

ANTI-BREAKAGE



TH. 8/10mm

ANTI-BREAKAGE

FINISHES



Bright Black
Nickel-Plated




Bright
Nickel-Plated

07 | Cube support for glass shelf



Cube, the new support bracket for glass shelves by Perin S.p.a., is designed for users who expect details that are apparently less important to have the same formal consistency that is so characteristic of Italian furniture.



WITH PIN




SCREW FASTENING



WITH PIN

TH. 4/6 - 6/8 - 8/10 mm




SCREW FASTENING

TH. 4/6 - 6/8 - 8/10 mm

FINISHES



Bright Black
Nickel-Plated




Bright
Nickel-Plated

08 | Speedy support for shelf


Speedy is the shelf support manufactured by Perin Spa, designed to allow cabinet assembly directly on the customer's premises, thus eliminating all costs required for automated factory assembly. Also available in a pack, Speedy is a rapid, functional and most of all inexpensive shelf support.



WITH PIN



FOR SCREW / EUROSCREW



WITH PIN



SCREW FASTENING



EUROSCREW FASTENING

FINISHES



Bright Black
Nickel-Plated




Bright
Nickel-Plated

09 | Speedy Plus support for shelf


Speedy Plus is the new shelf support resulting from the research activity by Perin S.p.A. One single piece combines all functions expected from a built-in shelf support with anti-lift mechanism.




WITH PIN



FOR SCREW / EUROSCREW



WITH PIN



SCREW / EUROSCREW
FASTENING



FINISHES





Bright Black
Nickel-Plated



Bright
Nickel-Plated

10 | Click support for shelf

Click is the new shelf support from Perin S.p.A. created to be less noticeable under the shelf, while still being flush to the side panel like a joint.



WITH SCREW



WITH PIN

FINISHES



Black



Grey



White






Bright
Nickel-Plated



Brown

11 | Line Hinge Ø35


LINE is the brand new hinge for upward- and downward-opening doors manufactured by Perin Spa. Featuring a special mechanism which can accommodate different-thickness doors within the one composition, it also makes it possible to reduce the gap between one door and the next to a minimum of 1,5mm.



FINISHES





Bright Black
Nickel-Plated



Bright
Nickel-Plated

12 | Idea Hinge Ø26

Idea is the brand new hinge for upward- and downward-opening doors manufactured by Perin Spa. Featuring a special mechanism which can accommodate different-thickness doors within the one composition, it also makes it possible to reduce the gap between one door and the next to a minimum of 1,5mm.



FINISHES






Gunmetal
Nickel



Bright
Nickel-Plated

13 | Scarpi-4 Hanger

Is a 100% steel, high resistance fastener for wall units (load of 65 kg according to DIN 68840 and the new one EN15939). Extremely compact (only 10 mm in width), it can be adjusted according to 3 positions, which can be easily accessed from inside the wall unit. Comes with cover available in various colours.




HANGER

LOAD OF 65 KG
According to din 68840 and the new one en15939




COVER

COVER FINISHES



Bright
Nickel-Plated







White
Plastic



Black
Plastic

14 | Sikura Hanger


Sikura hangers successfully meet any requirement in terms of wall cabinet load bearing capacity, anchoring and safety. They are adjustable, have a high load bearing capacity, keep the wall cabinet securely anchored to the wall and feature a patented anti-disengagement system.



HANGER

LOAD OF 80 KG
According to EN 15939:2019

FINISHES




Galvanized

15 | Plana Hanger


Plana is the solution to your suspended panel alignment problems, because it ensures the panels adhere perfectly to the wall. Exceptional adjustment. Excellent load-bearing capacity. Totally invisible.



FOR ANCHOR



FOR SUPPORT BARS



FOR ANCHOR



FOR SUPPORT BARS



FINISHES



Galvanized

16 | Vigor Straightener

Vigor is the new 'door straightener' by Perin S.p.A. It is used when the panels get curved. It is supplied in a standard size with a pitch between the two outer holes of 2240 mm. On request, Vigor can be supplied with a smaller pitch.





FINISHES




Grey

17 | Linear Rails


System composed of an aluminium rail, 10x30, with a clear plastic protective profile inserted and painted aluminium supports, perfectly coordinated, which fit partially into the rail cross-section. Main properties: accurately made with excellent load resistance.



SIDE BRACKET



CENTRAL BRACKET



FINISHES





Natural anodised



Other finishes on request

18 | Wip Adjustable Foot


WIP is the new foot manufactured by Perin Spa, which is especially suitable for wardrobes and bookcases. It can be adjusted from the inside of the cabinet using a 4mm hexagon wrench. It has a capacity of 100 kg.



ADJUSTABLE FOOT

LOAD MAX 100 Kg

FINISHES



Galvanized

ITALY



PERIN S.P.A.

Viale Europa, 30 - 31018 Albina di Gaiarine (TV) - Italy
Tel. +39 0434 75044 - Fax +39 0434 759190
e-mail: info@perinspa.com www.perinspa.com